

Product Highlights

Extend Your Wi-Fi Network

Extend your home Wi-Fi coverage and enjoy wireless connection speeds of up to 300 Mbps with Wireless N technology¹

Continued Use of Electrical Socket

Passthrough design allows you to continue using your electrical socket by plugging another device into the integrated electrical outlet

More Than Just a Wi-Fi Extender

Create personal Wi-Fi hotspot or add Wi-Fi connectivity to computers, smart TVs and games consoles with Ethernet ports.



DAP-1365

N300 Wi-Fi Range Extender with Power Passthrough

Features

Connectivity

- 2.4 GHz Wireless N gives you high-speed wireless connectivity for your devices
- Wireless 802.11g/b backward compatibility
- Wireless speeds of up to 300 Mbps¹
- 10/100 Fast Ethernet Port
- Passthrough power plug

Security

- WPA2/WPA wireless encryption to keep your wireless connection secure
- Wi-Fi Protected Setup (WPS) for secure setup with the simple press of a button

Easy to Use

- One-piece wall plug design is compact, portable, and does not require additional power cables
- Built-in setup wizard and QRS Mobile app for mobile devices guide you through installation
- Smart Signal Indicator to show you where best to position the Wi-Fi range extender

The DAP-1365 is a portable plug-in Wi-Fi range extender that lets you extend an existing wireless network. You can place it within your home's existing Wi-Fi network to increase its range. Its power passthrough design ensures that your electrical outlet remains available to power another electrical appliance. Supporting Wireless N, this tiny yet powerful range extender gives you connection speeds of up to 300 Mbps, while still being backwards compatible with your existing wireless devices.

Extend Your Wireless Network

Increase the coverage of your home wireless network with the sleek and easy-to-use N300 Wi-Fi Range Extender with Power Passthrough. Wireless N technology helps to extend wireless range in your home or office and also provides backward compatibility with older wireless devices in your network, allowing you to enjoy a fast, reliable wireless connection. Alternatively, use the built-in Fast Ethernet port to create a personal Wi-Fi hotspot in hotel rooms with wired Internet access whether you are away on holiday or business. You can also add Wi-Fi connectivity to computers, smart TVs and games consoles with Ethernet ports.

Easy to Set Up, Easy to Use

Setting up the N300 Wi-Fi Range Extender is simple. Just use the one-touch configuration function by pushing the WPS push-button on the DAP-1365 and on the router or access point you want to extend, and the DAP-1365 will automatically configure itself for you. Alternatively, you can use the supported QRS Mobile app on your iOS or Android smartphones or tablets to set up the DAP-1365 easily without needing a computer. The N300 Wi-Fi Range Extender with Power Passthrough even includes a built-in setup wizard that lets you configure it wirelessly with a PC or mobile device.

N300 Wi-Fi Range Extender with Power Passthrough

Smart Signal Indicator Makes Placement a Snap

The DAP-1365 features a Smart Signal Indicator, which makes finding the optimal location for your Wi-Fi extender quick and easy. With other range extenders, it is difficult to gauge how strong or weak the connection between an extender and the existing Wi-Fi network is. The DAP-1365's Smart Signal Indicator eliminates the guesswork by giving you instant visual feedback on the signal strength, so you can quickly test out multiple locations to find the best placement.

Compact, Unobtrusive Design

The DAP-1365's compact design and intuitive setup makes it perfect for use at home or in a small office. Its intuitive wall-plug design lets you power other devices through its passthrough power socket so you don't block existing power sockets, and its sleek, unobtrusive appearance blends easily into the decor of any home or office.

Extend Your Wireless Network using Wi-Fi



Extend Your Wireless Network using Ethernet



N300 Wi-Fi Range Extender with Power Passthrough

Technical Specifications		
General		
Device Interfaces	<ul style="list-style-type: none"> • 802.11n/g/b Wireless LAN • 10/100 Fast Ethernet Port 	<ul style="list-style-type: none"> • Reset Button • WPS Button
LEDs	<ul style="list-style-type: none"> • Status/WPS 	<ul style="list-style-type: none"> • Smart Signal Indicator LED
Standards	<ul style="list-style-type: none"> • IEEE 802.11n • IEEE 802.11g 	<ul style="list-style-type: none"> • IEEE 802.11b • IEEE 802.3u
Antennas	<ul style="list-style-type: none"> • Two foldable external antennas 	
Plug Type	<ul style="list-style-type: none"> • Region dependent 	
Functionality		
Wireless Security	<ul style="list-style-type: none"> • Wi-Fi Protected Access (WPA/WPA2) 	<ul style="list-style-type: none"> • WPS (PBC)
Advanced Features	<ul style="list-style-type: none"> • D-Link One-Touch Extender Setup 	
Device Management	<ul style="list-style-type: none"> • Supports QRS Mobile app for iPhone, iPad, iPod touch, and Android mobile devices 	<ul style="list-style-type: none"> • Web UI
Physical		
Dimensions	<ul style="list-style-type: none"> • 92 x 67 x 59.55 mm (3.62 x 2.64 x 2.34 inches) 	
Weight	<ul style="list-style-type: none"> • 144.3 grams 	
Power	<ul style="list-style-type: none"> • Input: 110 to 240 V AC, 50/60 Hz 	<ul style="list-style-type: none"> • Maximum Consumption: 2.8 W
Temperature	<ul style="list-style-type: none"> • Operating: 0 to 40 °C (32 to 104 °F) 	<ul style="list-style-type: none"> • Storage: -20 to 65 °C (-4 to 149 °F)
Humidity	<ul style="list-style-type: none"> • Operating: 10% to 90% non-condensing 	<ul style="list-style-type: none"> • Storage: 5% to 95% non-condensing
Certifications	<ul style="list-style-type: none"> • EMI/EMC • FCC • CE 	<ul style="list-style-type: none"> • CB • UL • Wi-Fi Certified

¹ Maximum wireless signal rate derived from the IEEE Standard 802.11n specifications. Actual data throughput will vary. Network conditions and environmental factors, including volume of network traffic, building materials and construction, and network overhead, may lower actual data throughput rate. Environmental factors will adversely affect wireless signal range.



For more information: www.dlink.com

D-Link European Headquarters. D-Link (Europe) Ltd., D-Link House, Abbey Road, Park Royal, London, NW10 7BX. Specifications are subject to change without notice. D-Link is a registered trademark of D-Link Corporation and its overseas subsidiaries. All other trademarks belong to their respective owners. ©2016 D-Link Corporation. All rights reserved. E&OE.

Updated March 2016

D-Link[®]
Home is where the **SMART** is