

Product Highlights

Wireless AC Technology

Enjoy combined wireless speeds of up to 750 Mbps and increased range thanks to the 802.11ac wireless technology

High-Performance Dual Band Wireless

Connect to your network via two concurrent wireless bands for seamless performance no matter what you are doing

Simple and Secure Setup

Set up the DIR-809 in no time with the web-based setup wizard, and create secure wireless connections easily using Wi-Fi Protected Setup (WPS)



DIR-809

Wireless AC750 Dual Band Router

Features

High-Speed Connectivity

- Wireless AC technology to deliver fast wireless connectivity with increased range and reliability¹
- 10/100 Fast Ethernet WAN port for speedy Internet access
- Four 10/100 Fast Ethernet LAN ports give you high-speed wired connectivity

Flexible Bandwidth

- Combined dual band wireless speed of up to 750 Mbps¹
- QoS engine for prioritising important traffic and delivering uninterrupted bandwidth

Setup and Management

- Web browser-based setup and configuration
- Intuitive setup wizard to guide you through the configuration process
- Firewall and access control options to prevent attacks and restrict access to your network

The Wireless AC750 Dual Band Router is an affordable yet powerful wireless networking solution. The increased range and reliability of dual band wireless AC technology reaches further into your home, with combined wireless speeds of up to 750 Mbps. Advanced security features keep your network and data safe from intruders. You can configure a guest zone to give visitors Internet access without giving them access to the rest of your network. The built-in Quality of Service (QoS) engine allows you to prioritise important traffic to ensure that your favourite applications are receiving optimal bandwidth.

Back View



DIR-809 Wireless AC750 Dual Band Router

Technical Specifications		
General		
Hardware Version	• B1	
Device Interfaces	IEEE 802.11ac/n/g/b/a wireless LAN¹ 10/100 Fast Ethernet WAN port	• Four 10/100 Fast Ethernet LAN ports
LEDs	Power GHz WLAN AHZ WLAN	• Internet • WPS
Antenna Type	Three external antennas	
Data Signal Rate	• 2.4 GHz • Up to 300 Mbps ¹	• 5 GHz • Up to 433 Mbps¹
Standards	• IEEE 802.11ac/n/g/b/a	• IEEE 802.3u
Minimum Requirements	Internet Explorer 9, Firefox 20, Chrome 25, Safari 5.1 or higher Wired or Wireless Ethernet network adapter	Cable/DSL modem or other Internet Service Provider equipment with Ethernet port and an active Internet subscription
Functionality		
Security	WPA & WPA2 (Wi-Fi Protected Access)	WPS (Wi-Fi Protected Setup)
Advanced Features	Web setup wizardQoS (Quality of Service)DMZ (Demilitarized Zone)Repeater mode	 Firewall - Network Address Translation (NAT) Guest zone IPv6 functionality Multicast support
Physical		
Dimensions	• 192 x 108 x 30 mm (7.56 x 4.25 x 1.8 inches)	
Weight	• 240 grams (8.5 ounces)	
Power	• Input: 100 to 240 V AC, 50/60 Hz	• Output: 12 V DC, 0.5 A
Temperature	• Operating: 0 to 40 °C (32 to 104 °F)	• Storage: -20 to 65 °C (-4 to 149 °F)
Humidity	Operating: 10% to 90% non-condensing	Storage: 5% to 95% non-condensing
Certifications	• CE	

¹ Maximum wireless signal rate derived from IEEE 802.11ac and IEEE 802.11n specifications. Actual data throughput will vary. Network conditions and environmental factors, including volume of network traffic, building materials and construction, and network overhead, lower actual data throughput rate. Environmental factors may adversely affect wireless signal range. Wireless range and speed rates are D-Link relative performance measurements based on the wireless range and speed rates of a standard wireless product from D-Link. Maximum throughput based on D-Link 802.11ac devices.



For more information: www.dlink.com

