

Product Highlights

Extend Your High-Speed Wireless Network

Extend your home wireless coverage and enjoy wireless connection speeds of up to 300 Mbps with Wireless N technology¹

More Than Just a Wi-Fi Extender

Create personal Wi-Fi hotspot or add Wi-Fi connectivity to computers, smart TVs and games consoles with Ethernet ports

Easy to Set Up

Use the QRS Mobile app on your phone or push the WPS button to install the device in minutes without needing a PC



DAP-1330 N300 Wi-Fi Range Extender

Features

Connectivity

- Wireless N gives you high-speed wireless connectivity for your devices
- Wireless 802.11g/b backward compatibility
- Wi-Fi speeds of up to 300 Mbps¹
- 10/100 Fast Ethernet Port

Security

- WPA2/WPA wireless encryption to keep your wireless connection secure
- Wi-Fi Protected Setup (WPS) for secure setup with the simple press of a button

Easy to Use

- One-piece wall plug design is compact, discreet and does not require additional power adapter and cable
- Built-in setup wizard and QRS Mobile app for mobile devices guide you through installation

The N300 Wi-Fi Range Extender is a wall-plug Wi-Fi range extender that lets you extend an existing Wi-Fi network simply by placing it anywhere in your home. Supporting Wireless N, this tiny yet powerful N300 Wi-Fi Range Extender gives you connection speeds of up to 300 Mbps¹, while still being backwards compatible with your existing wireless devices.

Extend Your Wireless Network and More

Increase the coverage of your home Wi-Fi network with the sleek and easy-to-use N300 Wi-Fi Range Extender. N300 technology ensures fast connection speeds whilst providing backward compatibility with older wireless devices in your network, allowing you to enjoy a reliable wireless connection. Alternatively, use the built-in Ethernet port to create a personal Wi-Fi hotspot in hotel rooms with wired Internet access whether you are away on holiday or business. You can also add Wi-Fi connectivity to computers, smart TVs and games consoles with Ethernet ports.

Easy to Set Up, Easy to Use

Setting up the N300 Wi-Fi Range Extender is simple. You can use the supported QRS Mobile app on your iOS and Android smartphones and tablets to set up easily without needing a computer. Alternatively, you can use one-touch setup by pushing the WPS push-button on the N300 Wi-Fi Range Extender and your Wi-Fi router, to instantly extend your Wi-Fi coverage. It even includes a built-in setup wizard that lets you configure it wirelessly with a PC or mobile device.

Compact, Convenient Design

The N300 Wi-Fi Range Extender is a compact device that is ideal for use at home or in a small office. The visual signal indicator LED makes it easy to find suitable placement location. Its spacesaving wall-plug design easily saves you the hassle of dealing with a power adapter and cable. The discreet and unobtrusive appearance blends easily into the decor of your home or office.

DAP-1330 N300 Wi-Fi Range Extender

DAP-1330

Wireless Devices

Router

Extend Your Wireless Network using Wi-Fi Add Wireless to your Wired Ethernet Network • Router DAP-1330 Wireless Devices

Internet

Technical Specifications

recinical opecifications		
General		
Device Interfaces	802.11n/g/b Wireless LAN 10/100 Fast Ethernet port	Reset button WPS button
LEDs	Status/WPS	• 3 segment Wi-Fi signal strength indicator
Standards	• IEEE 802.11n • IEEE 802.11g	• IEEE 802.3u • IEEE 802.11b
Antennas	Two external antennas	
Plug Type	Region dependent	
Functionality		
Wireless Security	Wi-Fi Protected Access (WPA/WPA2)	• WPS (PBC)
Advanced Features	D-Link One-Touch Extender Setup	
Device Management	 Supports QRS Mobile app for iPhone, iPad, iPod touch, and Android mobile devices 	• Web UI
Physical		
Dimensions	• 77 x 55.5 x 34 mm (3.03 x 2.28 x 1.33 inches) ²	
Weight	• 86.9 g	
Power	• Input: 110 to 240 V AC, 50/60 Hz	
Temperature	• Operating: 0 to 40 °C (32 to 104 °F)	• Storage: -20 to 65 °C (-4 to 149 °F)
Humidity	Operating: 10% to 90% non-condensing	Storage: 5% to 95% non-condensing
Certifications	FCC IC CE C-Tick	• CB • UL • Wi-Fi Certified

¹ Maximum wireless signal rate derived from the IEEE Standard 802.11n specifications. Actual data throughput will vary. Network conditions and environmental factors, including volume of network traffic, building materials and construction, and network overhead, may lower actual data throughput rate. Environmental factors will adversely affect wireless signal range. ² Dimensions do not include the regional plug type.



For more information: www.dlink.com

D-Link European Headquarters. D-Link (Europe) Ltd., D-Link House, Abbey Road, Park Royal, London, NW10 7BX. Specifications are subject to change without notice. D-Link is a registered trademark of D-Link Corporation and its overseas subsidiaries. All other trademarks belong to their respective owners. ©2015 D-Link Corporation. All rights reserved. E&OE.

